



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200  
Fax 613 632-5246

**U/R**

MARCH 5/20

**D5808-9**

**Job Sheet 207534**



**Part No:** D5808-9

**Job Qty:** 4 pcs

**Part Name:** Cutout Side



**Part Weight:** 0 lbs

**Status:** New

**Job Created:** 2/27/20

**Job Tracking No:**

**Due Date:** 3/27/20

**Created By:** Jennifer Renwick

**Type:** Stock

**Description:**

**Note:** URF 20-522 DWG D5808 Rev A5 IPP Rev. A 2020.01.30 New issue DP Verify DD

**Ship Via:**

**POSITIVE RECALL**

EFFECTIVE \_\_\_\_\_ AUTH \_\_\_\_\_

RELEASED \_\_\_\_\_ DATE \_\_\_\_\_

**Priority:** Medium

NA

LIMITED REWORK

### Bill of Materials

### Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Large Fab - Welded Assy-1	4 pcs	3/27/20		0.00	0.40	Large Fab - 1		
							Large Fab - 10		
							Large Fab - 2		
							Large Fab - 3		
							Large Fab - 4		
							Large Fab - 5		
							Large Fab - 6		
							Large Fab - 7		
							Large Fab - 8		
							Large Fab - 9		
							Large Fab - 11 (Various)		
							Large Fab - 12		
120	QC 5	4 pcs	3/27/20		0.00	0.00	QC 5 - 10		
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		
							QC 5 - 9		
							QC 5 - 50		
							QC 5 - 30		
							QC 5 - 40		
							QC 5 - 61		
							QC 5 - 81		



**Container No:** S262010



**Part:** D5808-9

**Job No:** 207534

**Serial No/Batch:** S262010

**Revision:** A5

**Inspector:**

**Exp Date:**

**Instructions:**

Date: 03/09/20

Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
CANADA  
TEL.: 1 613 632-5200  
Email: sales@dartaero.com  
www.dartaerospace.com

DAS

40

9-89

MAR 10 2020

Plex 3/5/20 7:17 AM Dart.lajeunesse.marie



130 Packaging 3-1 - Stock - B4B 4 pcs

3/27/20

0.00 0.00

Packaging 3 - 1 - B4B

Packaging 3 - 2 - B4B

Packaging 3 - 3 - B4B

Packaging 3 - 4 - B4B

Packaging 3 - 5 - B4B

Packaging 3 - 6 - B4B

Packaging 3 - 7 - B4B

Packaging 3 - 8 - B4B

Packaging 3 - 9 - B4B

Packaging 3 - 10 - B4B

Packaging 3 - 11 - B4B

Packaging 3 - 12 - B4B

Packaging 3 - 13 - B4B

Packaging 3 - 14 - B4B

Packaging 3 - 15 - B4B

Packaging 3 - 16 - B4B

Packaging 3 - 17 - B4B

Packaging 3 - 18 - B4B

Packaging 3 - 19 - B4B

Packaging 3 - 20 - B4B

Packaging 3 - 21 - B4B

Packaging 3 - 22 - B4B

Packaging 3 - 23 - B4B

Packaging 3 - 24 - B4B

Packaging 3 - 25 - B4B

Packaging 3 - 26 - B4B

Packaging 3 - 27 - B4B

Packaging 3 - 28 - B4B

Packaging 3 - 29 - B4B

Packaging 3 - 30 - B4B

Packaging 3 - 31 - B4B

Packaging 3 - 32 - B4B

Packaging 3 - 33 - B4B

Packaging 3 - 34 - B4B

Packaging 3 - 35 - B4B

Packaging 3 - 36 - B4B

Packaging 3 - 37 - B4B

140 QC 21 - SA

4 pcs

3/27/20

0.00 0.00

QC 21 - SA - 21

QC 21 - SA - 70

QC 21 - SA - 53

DAS

21

9-85

MAR 10 2020

Part Op 110 - Fabricate per Drwg - 1-Cut as per DWG. 2-Deburr.  
 Descriptions: 120 - QC5- Inspect part completeness to step on W/O  
 130 - Identify as per dwg & Stock Location:  
 140 - QC21- Final Inspection - Work Order Release

## Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M4130NTS0.750W.035	4130 Square Tube 0.750 X 0.035W	2.1680 ft (.542 ea)	110-Large Fab - Welded Assy-1	5250 794


## Job Allocations

Operation	Component Part	Required	Inventory	Allocated
110-Large Fab - Welded Assy-1	M4130NTS0.750W.035	2	448	0


## Part Specifications

Specifications could not be found.







**D5808-3 SPINE**




**D5808-5 SPINE**



**D5808-7 CUTOUT BOTTOM**



**D5808-9 CUTOUT SIDE**



**SECTION E-E**

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 207534

*MCS*  
*20-0305*

UNDER REVIEW  
URF 2020-522 20.02.14 (NO)

**NOTES:**

- 1) MATERIAL: AISI 4130N STEEL SQUARE TUBING, 1/2 X 0.035 WALL  
PER MIL-T-6736 OR AMS 6371/6360/6361/6362/6373/6374  
REF DART SPEC M4130N-TS0.500W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: -3: 0.32 lbs  
-5: 0.30 lbs  
-7: 0.34 lbs  
-9: 0.11 lbs

**RELEASED**  
2020 FEB 18 *NO*

APPROVED

DESIGN ZF  
DRAWN ZF  
CHECKED KPT  
MFG. APPR. DD  
APPROVED NO  
DE APPR. CP  
DATE 20.01.20

**DART AEROSPACE LTD**  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D5808**  
TITLE  
**LONG BASKET BODY**

REV. A  
SHEET 5 OF 6  
SCALE  
NTS

COPYRIGHT © 2020 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  
WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER

## POHB045594



**Supplier:** FAC001-VU  
Factory Steel  
14020 Oakland Ave.  
Detroit, MI 48203 USA  
Phone: 313 883 6300  
Fax: 313 883 4883

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**PO No:** POHB045594

**PO Date:** 1/16/20

**Due Date:** 2/4/20

**Purchase Order**

**Revision:**

**Revision Date:**

**Ship-To Contact:** Phone:

**Via:** Ground

**Pynt Terms:** Net 30

**Freight Terms:**

**Special Comments:**

JAN 16 2020

Items													
Line Item	Job	Part	Drawing	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1		M4130NTS0.750W.035			4130 Square Tube 0.750 X 0.035W : MATERIAL: AISI 4130N STEEL SQUARE TUBING PER ONE OF THE FOLLOWING SPEC'S: MIL-T-6736, AMS 6371, 6390, 6361, 6362, 6373 OR 6374	Firmed	-	2/4/20	600 ft	0 ft	600 ft	\$7.25/ft	\$4,350.00
2		M4130NTS1.000W.065			4130 Square Tube 1.000" X 1.000" X 0.065"W : MATERIAL: AISI 4130N STEEL SQUARE TUBING PER ONE OF THE FOLLOWING SPEC'S: MIL-T-6736, AMS 6371, 6390, 6361, 6362, 6373 OR 6374	Firmed	-	2/4/20	160 ft	0 ft	160 ft	\$11.70/ft	\$1,872.00
Grand Total:												\$6,222.00	

Plex 1/16/20 11:38 AM Dart.Lavoie.Chantal



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

**PURCHASE ORDER**  
**POHB045594**



**Order Notes**

**Procurement Quality Clauses**

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable). No Raw Metals from China or Soviet Bloc Countries. (DFARS)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program.

A049 supplier awareness.

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Plex 1/16/20 11:38 AM Dart.Lavoie.Chantal

LIVE 1  
M4130NTS 0.750W.035

S250794

616506



DESIGN DH	DRAWN BY DH	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED H	APPROVED H	DRAWING NO. M4130N-TS	REV. A SHEET 1 OF 1
DATE 05.02.09		TITLE 4130N SQUARE TUBING	SCALE NTS
A	05.02.09	NEW ISSUE	

PURCHASE MATERIAL:

AISI4130N STEEL SQUARE TUBING PER ONE OF  
THE FOLLOWING SPEC'S: MIL-T-6736, AMS 6371,  
6360, 6361, 6362, 6373 OR 6374

DAS  
82  
9-89

PART NUMBER: M4130N-TS | A.AAA | W | .TTT |

WHERE A.AAA = WIDTH IN INCHES  
TTT = WALL THICKNESS IN INCHES

EXAMPLE: 0.50" X 0.035" WALL = M4130N-TS0.500W.035

RELEASED  
05 03 15

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



**PLYMOUTH TUBE CO.**

1200 East 12th Street, Streator, Illinois 61364

Phone: (815) 672-1515 Fax: (815) 672-7545

TRUST YOUR SOURCE! ACCEPT NO SUBSTITUTIONS!



## PRODUCT CERTIFICATION

SALES ORDER - LINE / RLS

175629 - 1 / 0

SHIP TO

Factory Steel & Metal Supply C  
14020 Oakland Avenue  
Detroit, MI 48203  
USA

WORK ORDER 023679

HEAT NUMBER 616506

PCS/HEAT 0

MELT SOURCE Benteler Steel & Tube-Germany

CUSTOMER P.O. 3887	CUSTOMER PART SQ-N34035	QUANTITY	LADING NO	CERT ID / REV /	CERT DATE								
<b>PART DESCRIPTION</b> SHSQ0750035J300 ***** Square OD ***** Side1: 0.7500 Max:0.7600 Min:0.7400 Side2: 0.7500 Max:0.7600 Min:0.7400 Wall: 0.0350 Max:0.0380 Min:0.0320 Length: 10.00/26.00 Spec: MIL-T 6736B Seamless Aircraft Grade: 4130 Anneal: Cond N													
<b>CERTIFICATION REQUIREMENTS</b> FAR BAA (FAR 52.225-1 Buy America Act Supplies). DFARS 252.225-7001 By America Act & Bal. of Payments Program FAR TAA (FAR 52.225-5 Trade Agreements)(Paragraph 1,3,4,5)This material was Eddy Current tested and conforms to the requirements of ASTM A-450. The Grain size is determined and reported by the raw material supplier in accordance to ASTM E-112. This raw material was magnetic particle inspected by the raw material supplier in accordance to AMS 2640J and/or ASTM E-1444, and rated as Frequency, and Severity to AMS 2301, latest revision. Yield is determined by using the 0.2% offset method. Additional Specifications - AMS-T 6736B, 6360P & 6371L. Material produced in accordance to ASTM A-519-17 and MIL-T 6736B. This material meets Plymouth ProMoly specifications. Jominy results: J(5/16")=45 J(8/16")=38													
<b>Chemical Analysis</b>													
C	Mn	P	S	Si	Al	Cr	Mo	Ni	Pb	Cu	V	Ti	Sn
.310	.55	.011	.002	.230	.036	.87	.18	.12	.001	.16	.002	.002	.010
<b>Physical Properties</b>													
Freq.	Severity	Grain Size											
.020	.015	9											
<b>Mechanical Properties</b>													
<b>TEST</b>	<b>UNITS</b>	<b>#TESTS</b>	<b>HIGH</b>	<b>LOW</b>	<b>AVERAGE</b>	<b>STD-DEV</b>							
Tensile	Psi	6	126660	125480	126065	482							
Yield	Psi	6	120930	119880	120387	374							
Elongation	%	6	21	20	20	1							
Rockwell C	Rc	6	25	25	25	0							
<b>TEST</b>	<b>RESULT</b>												
Decarb/OD	Pass												
Total ID/OD decarb	Pass												

I certify that the results are a true and correct copy of the records prepared and maintained by Plymouth Tube Company, Streator in compliance with the requirements of the cited specification. Chemistry is as reported by the Steel supplier. This test report cannot be reproduced or distributed except in full without the written permission of Plymouth Tube.

*Jamie Berosselt*  
Quality Assurance

①




**PLYMOUTH TUBE CO.**

1209 East 12th Street, Streator, Illinois 61364

Phone: (815) 673-1616 Fax: (815) 672-7343

**TRUST YOUR SOURCE! ACCEPT NO SUBSTITUTIONS!**



# PRODUCT CERTIFICATION

SALES ORDER - LINE / RLS

175629 - 1 / 0

**SHIP TO**

Factory Steel & Metal Supply C  
14020 Oakland Avenue  
Detroit, MI 48203  
USA

WORK ORDER 023679

PCS/HEAT 0

HEAT NUMBER 616506

MELT SOURCE Benteler Steel & Tube-Germany

<b>CUSTOMER P.O.</b> 3887	<b>CUSTOMER PART</b> SQ-N34035	<b>QUANTITY</b>	<b>LADING NO</b>	<b>CERT ID / REV</b> /	<b>CERT DATE</b>
<b>PART DESCRIPTION</b> SHSQ0750035J300					
<b>Additional Specification(s)</b>					
<u>TEST</u> Brinell	<u>UNITS</u> Brinell	<u>#TESTS</u> 6	<u>HIGH</u> 253	<u>LOW</u> 253	<u>AVERAGE</u> 253
					<u>STD-DEV</u> 0
<p><b>This test report data is for the heat Chemistry Stated above.</b></p> <p>The material in this test report is:</p> <ol style="list-style-type: none"> <li>1) Drawn in the USA</li> <li>2) Free from Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Mercury contamination.</li> <li>3) NAFTA compliant.</li> </ol> <p style="text-align: center;">End of Certification</p>					

I certify that the results are a true and correct copy of the records prepared and maintained by Plymouth Tube Company, Streator in compliance with the requirements of the cited specification. Chemistry is as reported by the Steel supplier. This test report cannot be reproduced or distributed except in full without the written permission of Plymouth Tube.

*Janine Derossuff*  
Quality Assurance



LIWEI

## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M4130NTS 0.750W.035 PO / BATCH NO.: POMB045594  
 DATE: JAN 27 2020 5250794

MATERIAL CERT REC'D: YES  
 QUANTITY RECEIVED: 609 PT  
 QUANTITY INSPECTED: 609 PT  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .750W.035  
 THICKNESS RECEIVED: .750W.035  
 SHEET SIZE ORDERED: —  
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	MIL-T-6736
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	616506
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: _____	DAS <b>82</b> 9-89	SIGNED OFF BY: _____
DATE: <u>JAN 27 2020</u>		DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

Entered: \_\_\_\_\_ Date: \_\_\_\_\_



## WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. \_\_\_\_\_

Route update only ☐

Job: _____  Part No. _____	<b>DISPOSITION</b>  Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/>	<b>DEPARTMENT/PROCESS</b>  <div style="display: flex; justify-content: space-between;"> <div>           Skid-tube <input type="checkbox"/>            Machining <input type="checkbox"/>            Large Fab <input type="checkbox"/> </div> <div>           Cross tube <input type="checkbox"/>            Small Fab <input type="checkbox"/>            Finishing <input type="checkbox"/> </div> <div>           Eng. (Non-AW) <input type="checkbox"/>            Prod. Eng. Coord. <input type="checkbox"/>            Rec/Store/Packaging <input type="checkbox"/> </div> <div>           Engineering <input type="checkbox"/>            Water Jet <input type="checkbox"/>            Supplier <input type="checkbox"/>            Quality <input type="checkbox"/> </div> </div>			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
<b>Root Cause</b>  <div style="display: flex; flex-direction: column;"> <div>Operator <input type="checkbox"/></div> <div>Manufacturing Process <input type="checkbox"/></div> <div>Equip/Tooling <input type="checkbox"/></div> <div>Handling/Preservation <input type="checkbox"/></div> <div>Material <input type="checkbox"/></div> <div>Product Improvement <input type="checkbox"/></div> <div>Process Improvement <input type="checkbox"/></div> <div>Human Factors <input type="checkbox"/></div> </div>		<b>FAULT CATEGORY</b>  <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input type="checkbox"/> Pressure/Forced  <input type="checkbox"/> Bending  <input type="checkbox"/> Crushing  <input type="checkbox"/> Cracks  <input type="checkbox"/> Crimp/Kink/Ripple/Wave/Twist  <input type="checkbox"/> Marks/Chatter  <input type="checkbox"/> Mislabeled         </div> <div style="width: 50%;"> <input type="checkbox"/> Contamination  <input type="checkbox"/> Misaligned/off center  <input type="checkbox"/> BOM/Route  <input type="checkbox"/> Broken/Damage/Defect  <input type="checkbox"/> Incomplete/Unclear Instructions  <input type="checkbox"/> Drill Holes  <input type="checkbox"/> Fit/Function         </div> <div style="width: 50%;"> <input type="checkbox"/> Power Loss/Surge  <input type="checkbox"/> Folio/Program  <input type="checkbox"/> Grain Direction  <input type="checkbox"/> Weld  <input type="checkbox"/> Wrong Stock Pulled  <input type="checkbox"/> Out of Sequence  <input type="checkbox"/> Off-set/Set-up         </div> <div style="width: 50%;"> <input type="checkbox"/> Positioned Wrong  <input type="checkbox"/> Outside Tolerance  <input type="checkbox"/> Drawing  <input type="checkbox"/> Finish  <input type="checkbox"/> Part Lost/Missing  <input type="checkbox"/> Misread         </div> </div>			
Other/Details:					